11 15 ETHE



Make Deck Installation Easier
Mysemhoe Deck Straightening Tool Instructions for Use

www.mysemhoe.com

support@mysemhoe.com



Mysemhoe crafts premium artisan tools with 'Cultivate Quality, Creativity & Craftsman'partnering with master craftsmen to uphold tradition. Join us in shaping the future of handcrafted excellence.

In this guide, we'll detail the Mysemhoe Deck Straightening Tool components as well as instructions for using them to both easily and efficiently achieve straighter-than-straight boards!

Straightening Handle -Adjusts pallet wheels

Pallet wheel
Applies or releases
pressure on boards

Joist fastening knob Adjusts joist lock tightness

Spring Sleeve Assemblies
Stabilizes locking block


Joist stop wheel Limits joist positioning

Joist lock block Secures tool to joist


Suitable for sheets thicker than 0.51 inches.


National Property of the Parks

Installation Instructions










Rotate the straightening handle to tighten it and ensure a firm grip.




Push the straightening handle toward the board to apply pressure. Adjust the planks until the desired gap spacing is achieved.



When proper alignment is achieved, cease adjustment and secure with floor screws.





Folded Size: 15.39inX5.31inX4.5in

Unfolded size: 23.42inX5.31inX4.5in


Weights: 3.3LBS

Cross-type adaptation, efficient completion of construction tasks

Single joist

Metal joist

Double joist



WARNING

Instructions must be read before use

- Adults only. Keep away from children/pets.
- Wear gloves to avoid splinters.

MAINTENANCE

- Use a soft brush for debris.
- Oil metal joints monthly.
- Tighten screws regularly.



THE STATES



Scan the QR code to access the Amazon link and find the usage video to watch.

www.mysemhoe.com

support@mysemhoe.com